

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	464	switch\$3 with ("same" or identical) (address or location) with (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:27
S2	19	switch\$3 with detect\$4 with ("same" or identical) (address or location) with (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:19
S3	1	switch\$3 near3 bank with (access\$3 or read\$3 or writt\$4) ("same" or identical) (address or location) with (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:22
S4	54	switch\$3 with (access\$3 or read\$3 or writt\$4) near4 ("same" or identical) (address or location) near4 (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:27
S5	0	switch\$3 near4 (next or second or another) with (address or location) near4 (buffer or memory) near "in use"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:41
S6	0	switch\$3 with (address or location) near4 (buffer or memory) near "in use"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:41
S8	0	switch\$3 with (address or location) near4 (buffer or memory) near4 being (accessed or used)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:40

EAST Search History

S10	27	switch\$3 near4 (next or second or another) with (address or location) near4 (buffer or memory) near (accessed or used)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:44
S11	2	"4956768".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:45
S12	52	(double or ping pong) buffer and (switch\$4 or select\$4) with ("same" or identical) (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:48
S13	63	(double or ping pong) buffer and (switch\$4 or select\$4) with ("same" or identical) adj3 (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/05 17:49
S14	1	11/544665	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 09:48
S15	0	switch\$3 same (detect\$3 o check\$4) (address or location) near4 (buffer or memory) near (accessed or used or allocated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 09:52
S16	0	switch\$3 same (detect\$3 o check\$4) with (address or location) with (buffer or memory) with (accessed or used or allocated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 09:53

EAST Search History

S17	362	switch\$3 same (detect\$3 or check\$4) with (address or location) with (buffer or memory) with (accessed or used or allocated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 09:53
S18	160	switch\$3 same (detect\$3 or check\$4) with (address or location) near3 (accessed or used or allocated) with (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 09:54
S19	43	switch\$3 same (detect\$3 or check\$4) near3 (address or location) near3 (accessed or used or allocated) with (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 09:57
S21	39	duplex\$4 (memory or buffer) and switch\$3 with (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 10:14
S22	1155	redundant (memory or buffer) and switch\$3 with (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 10:14
S23	70	redundant (memory or buffer) and switch\$3 with (address or location) and ((plural\$6 or multip\$6 or second) processor or multi\$1processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 12:13
S24	9	("4375683" "4455605" "4564903" "4577272" "4672535" "4920540" "4965717" "5146589" "5276823").PN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2007/06/06 11:23

EAST Search History

S25	5	redundant near4 switch\$3 with (identical or "same")(address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:25
S26	5	redundant near4 switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:08
S27	14	redundant with switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:14
S28	6	(mirror or duplicat\$4 or copied) near4 switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:16
S29	6	(mirror) with switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:22
S30	71	(image) with switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:32
S31	7	(image) (buffer or storage or memory or disk) with switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:34

EAST Search History

S32	1	(back\$1up) (buffer or storage or memory or disk) with switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:39
S33	6	(redundunt or mirror) with switch\$3 with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:40
S34	16	(redundunt or mirror) with switch\$3 with (identical or "same") near5 (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:43
S35	8	(redundunt or mirror) with switch\$3 with (identical or "same") near4 (region or id or identifier or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:46
S36	20	(redundunt or mirror) with switch\$3 with (identical or "same") near4 (memory or buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 12:47
S37	27	(redundunt or mirror) with switch\$3 with (identical or "same") near4 (memory or buffer or storage or disk or hard drive)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 13:01
S40	198	(concurrent\$4 or parallel\$4) near4 (read\$4 or access\$4) near4 (memory or buffer or storage or hard drive or disk) and (swap\$4 or switch\$4) with ("same" or identical) near3 (address or location or region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 14:53

EAST Search History

S41	83	S40 and (redundant or mirror or duplicat\$4 or copied) near3 (memory or buffer or storage or hard drive or disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 13:12
S42	58	S40 and (redundant or mirror) near3 (memory or buffer or storage or hard drive or disk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 13:12
S44	52	(swap\$4 or switch\$4) with ("same" or identical) near3 (address or location or region) and (redundant or mirror) (memory or buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 13:29
S45	27	("4744078" "4750154" "4754451" "4760570" "4888741" "4891794" "4891795" "5142638" "5204841" "5278967" "5337287" "5432907" "5440523" "5490263" "5634004" "5651129" "5856940" "5875470" "5907864" "5920898" "5923593" "5925118").PN. OR ("6170046").URPN.	US-PGPUB; USPAT; USOCR	NEAR	ON	2007/06/06 13:48
S46	24	("4744078" "4750154" "4754451" "4760570" "4888741" "4891794" "4891795" "5142638" "5204841" "5278967" "5337287" "5432907" "5440523" "5490263" "5634004" "5651129" "5856940" "5875470" "5907864" "5920898" "5923593" "5925118").PN. OR ("6170046").URPN. and (redundant or mirror\$3)	US-PGPUB; USPAT; USOCR	NEAR	ON	2007/06/06 13:49

EAST Search History

S47	24	("4744078" "4750154" "4754451" "4760570" "4888741" "4891794" "4891795" "5142638" "5204841" "5278967" "5337287" "5432907" "5440523" "5490263" "5634004" "5651129" "5856940" "5875470" "5907864" "5920898" "5923593" "5925118").PN. OR ("6170046").URPN. and (redundant or mirror\$3) and switch\$3	US-PGPUB; USPAT; USOCR	NEAR	ON	2007/06/06 13:57
S48	213	(swap\$4 or switch\$4) with (read\$3 or access\$3) adj3 ("same" or identical) near3 (address or location or region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 16:58
S49	11	(swap\$4 or switch\$4) with (alternative or duplicat\$4 or copied or back\$1up or mirror or redundant) same (read\$3 or access\$3) adj3 ("same" or identical) near3 (address or location or region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 16:58
S50	151	(swap\$4 or switch\$4) with (writ\$3) adj3 ("same" or identical) near3 (address or location or region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 17:09
S51	54	(swap\$4 or switch\$4) with (writ\$3) adj3 ("same" or identical) near3 (address or location or region) and (redundant or duplicat\$3 or copied or double or alternative) (memory or buffer or disk or bank)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 17:19
S52	47	(swap\$4 or switch\$4) with ("same" or identical) near3 (address or location or region) and (duplicat\$3 or copied or double) (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 17:37

EAST Search History

S53	110	(select\$3) with ("same" or identical) near3 (address or location or region) and (duplicat\$3 or copied or double) (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 17:40
S55	47	(select\$3) with (read\$4 or writ\$4 or access\$4) adj3 ("same" or identical) near3 (address or location or region) and (duplicat\$3 or redundant or image or mirror or double) (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 18:06
S57	6	(select\$3) with (read\$4 or writ\$4 or access\$4) adj3 ("same" or identical) near3 (address or location or region) and (duplicat\$3 or redundant or image or mirror or double) (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/06 18:08
S58	0	address near3 (list or table) with allocat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 09:54
S59	2367	address near3 (list or table) with allocat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 09:54
S61	124	(location or address) near3 (list or table) with allocat\$4 with (memory or buffer) and (memory or buffer) with (multi\$1processor or (plural\$6 or multip\$6 or many) adj3 (processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 10:01
S62	4	(location or address) near3 (list or table) with allocat\$4 with (shar\$3 or common) (memory or buffer) and (memory or buffer) with (multi\$1processor or (plural\$6 or multip\$6 or many) adj3 (processor or CPU))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 10:29

EAST Search History

S63	796	double (memory or buffer) and (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 10:31
S64	4	double (memory or buffer) and (switch\$3 or select\$3) (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 10:31
S65	63	double (memory or buffer) and (switch\$3 or select\$3) with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 11:18
S66	616	(shar\$3 or common) (memory or buffer) and (switch\$3 or select\$3) with (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 11:19
S67	80	(shar\$3 or common) (memory or buffer) and (switch\$3 or select\$3) with (access\$4 or read\$4 or writ\$4) near3 (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 11:30
S68	0	(switch\$3 or select\$3) near4 (mirror or duplicated or copied or redundant or replica\$4) adj3 (memory or storage or disk or hard drive or buffer or location) with (access\$4 or read\$4 or writ\$4) near3 (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 11:43
S69	262	(switch\$3 or select\$3) near4 (memory or storage or disk or hard drive or buffer or location) with (access\$4 or read\$4 or writ\$4) near3 (identical or "same") (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 11:44

EAST Search History

S70	22	(switch\$3 or select\$3) near4 (memory or storage or disk or hard drive or buffer or location) with (access\$4 or read\$4 or writ\$4) near3 (identical or "same") (address or location) and (mirror or duplicated or copied or redundant or replica\$4) adj3 (memory or storage or disk or hard drive or buffer or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 11:45
S71	45	(duplicat\$4 or double or copied or back\$1up or redundant) adj (memory or buffer) with (identical or "same") near3 (address or location) and ((plural\$6 or multip\$6 or many) near3 (CPU or process\$3) or multi\$1processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 12:17
S72	0	switch\$3 adj5 (bank or memory or buffer) with (identical or "same") (region or location or address) with life	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 12:40
S73	137	switch\$3 adj5 (bank or memory or buffer) with (identical or "same") (region or location or address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 12:41
S74	20	switch\$3 adj5 (bank or memory or buffer) with (access\$3 or read\$3 or writ\$4) adj4 (identical or "same") (region or location or address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 12:42
S75	28	switch\$3 adj5 (bank or memory or buffer) with (access\$3 or read\$3 or writ\$4) adj6 (identical or "same") (region or location or address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 13:03
S76	6	switch\$3 near4 (redundan\$3 or mirror or image) with (access\$3 or read\$3) adj6 (identical or "same") (region or location or address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 13:14

EAST Search History

S77	1	switch\$3 near4 (copied or duplicat\$3) with (access\$3 or read\$3) adj6 (identical or "same") (region or location or address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/07 13:15
S78	2	"5590304".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 14:35
S81	11	conflict with (access\$3 or read\$3 or writ\$4) adj3 (address or location) with (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 14:50
S82	1	(conflict\$3 or problem) with (access\$3 or read\$3 or writ\$4) adj3 (address or location) and (duplicat\$4 or double or redundant or mirror) adj3 (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 14:52
S83	29	(access\$3 or read\$3 or writ\$4) adj3 ("same" or identical) adj3 (address or location) and (duplicat\$4 or double or redundant or mirror) adj3 (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 15:28
S84	8	(access\$3 or read\$3 or writ\$4) near3 ("same" or identical) near3 (address or location) and (duplicat\$4 or double or redundant or mirror) adj3 (memory or buffer) and "709"/\$.ccls. not S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 15:58
S85	115	("same" or identical) near3 (address or location) and (duplicat\$4 or double or mirror\$3) adj3 (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 16:06

EAST Search History

S86	69	("same" or identical) near3 (address or location) with (memory or buffer) and (duplicat\$4 or double or mirror\$3) adj3 (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 17:01
S87	9	(duplicat\$4 or double or mirror\$3) adj3 (memory or buffer) with (shar\$3 or common) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 17:04
S88	390	(duplicat\$4 or double or mirror\$3 or duplex\$3) adj3 (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:28
S89	0	(duplicat\$4 or double or mirror\$3 or duplex\$3) adj3 (memory or buffer) and "709"/\$.ccls. and conflict\$3 with (access\$3 or read\$3 or writ\$4) adj3 (address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 17:09
S90	14	(duplicat\$4 or double or mirror\$3 or duplex\$3) adj3 (memory or buffer) with switch\$3 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 17:09
S91	62	(duplicat\$4 or double or mirror\$3 or duplex\$3) adj (memory) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 17:25
S92	0	(duplicat\$4 or double or mirror\$3 or duplex\$3 or redundant) adj (memory) with shar\$3 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/12 17:25

EAST Search History

S93	36	(track\$3 or check\$3 or monitor\$3 or detect\$3) near4 (conflict\$4 or collision) with (identical or "same") near3 (location or address) with (memory or buffer or fifo or queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/13 10:39
S94	78	710/3-4.ccls. and (address or location) near4 (buffer or memory) near (accessed or used)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:25
S95	3	710/3-4.ccls. and switch\$3 with (identical or "same")(address or location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:25
S96	8	710/3-4.ccls. and (swap\$4 or switch\$4) with ("same" or identical) near3 (address or location or region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:25
S97	9	710/3-4.ccls. and (duplicat\$3 or double) buffer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:26
S98	2	710/3-4.ccls. and (concurrent\$4 or parallel\$4) near4 (read\$4 or access\$4) near4 (memory or buffer or storage or hard drive or disk) and (swap\$4 or switch\$4) with ("same" or identical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:26
S99	1	709/213.ccls. and switch\$3 with ("same" or identical) (address or location) with (buffer or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:27

EAST Search History

S10 0	14	709/213.ccls. and ("same" or identical) near3 (address or location) with (memory or buffer)and (duplicat\$4 or double or mirror\$3) adj3 (memory or buffer) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:27
S10 1	1	709/213.ccls. and (select\$3) with ("same" or identical) near3 (address or location or region) and (duplicat\$3 or redundant or image or mirror or double) (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:27
S10 2	5	709/213.ccls. and switch\$3 with (address or location) near4 (buffer or memory) near4 (accessed or used)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:27
S10 3	42	(duplicat\$4 or double or mirror\$3 or duplex\$3) adj3 (memory or buffer) and "709"/213.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/14 11:28